



SR258 WIFI Quick Setup Manual (2024)




Welcome To Your 258 + WIFI System controller

This innovative device allows you to integrate smartphone app control into your solar water heating system. With its user-friendly interface, you can easily monitor live data and set up notifications for any changes. Plus, you can conveniently adjust temperature ranges right from your living room. Let's get started with setting up your new controller.




Installation Of The Tuya App

- **Find And Download The Tuya Smart App From The App Store, or Google Play Store.**




- **Open The App Once Installation Has Finished.**



• **Add the SR258 Controller**


- Open the Tuya app, the LED status on the SR258 should be flashing meaning the controller is ready to connect to your dedicated WIFI network.

The Device should pop up on the app automatically. If not, Proceed to configure manual set-up




Or Find Controller Manually

- If the controller did not automatically pop-up.
- Click + (Add Device) where you'll be directed to this page.
- Enter your WIFI network information to allow the controller to connect.
- Then wait for the controller to establish connection
- Once the controller has been added successfully,
- A green tick will appear next to the SR258 Controller icon.




Connected





Once the controller has successfully connected. SR258 Should appear on the home page of the Tuya App.



You should now be able to view the sensor temperatures .



WIFI Icon Help

NO	SYMBOL	DEFINITION	ACTION
1		CONNECTED OK	NO ACTION NEEDED
2		<ol style="list-style-type: none"> 1. WIFI MODULE IS DAMAGED 2. NO WIFI MODULE 3. WIFI MODULE IS INITIALISING 	WAIT FOR 1 MINUTE OR RESTART THE SYSTEM CONTROLLER
3	 FLASH	<ol style="list-style-type: none"> 1. WIFI MODULE IS CONNECTING 2. WAITING FOR SETUP 	SETUP WIFI CONNECTION FROM CONTROLLER
4	 FLASH	WIFI IS CONNECTED BUT CANNOT ESTABLISH CONNECTION TO SERVER	WAIT 30 MINUTES OR RESTART THE CONTROLLER

LED Status Help

NO	SYMBOL	DEFINITION	ACTION
1	LED ON	CONNECTED	NO ACTION NEEDED
2	LED OFF	WIFI DISCONNECTED	CHECK WIFI MODEM RESET CONNECTION
3	LED FLASHING	SETUP	SETUP CONTROLLER